AUTHOR INDEX

ABAD Francisco *see* UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. 213

ABRAMSON Jonathan J. *see* SALAMA Guy, ABRAMSON Jonathan J. & PIKE Gregory K. Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. 389

ALLEN D.G. *see* ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. 467

ALSTERMARK B., PINTER M.J. & SASAKI S. Tectal and tegmental excitation in dorsal neck motoneurones of the cat. 517

ANDERSON C.R. *see* JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. 107

APPEL S.H. *see* GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. 183

ARTALEJO Antonio R. *see* UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. 213

BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. 339

BENNETT Max R. *see* LAVIDIS Nickolas A. & BENNETT Max R. Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. 9

BEST Philip M. *see* XU Xiaoping & BEST Philip M. Postnatal changes in T-type calcium current density in rat atrial myocytes. 657

BIGLAND-RITCHIE B. *see* MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. 643

BOLLMANN G. *see* BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. 339

BOYD C.A.R. *see* DEVÉS R., CHAVEZ P. & BOYD C.A.R. Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. 491

BROCHU Richard M., CLAY John R. & SHRIER Alvin Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. 503

CALLEWAERT G. *see* LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. 321

CALLISTER Robin *see* KREGEL Kevin C., SEALS Douglas R. & CALLISTER Robin Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. 359

CALLISTER Robin, SUWARNO N. Omar & SEALS Douglas R. Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. 373

CARMELIET E. *see* LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. 321

CHAVEZ P. *see* DEVÉS R., CHAVEZ P. & BOYD C.A.R. Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. 491

CLAY John R. *see* BROCHU Richard M., CLAY John R. & SHRIER Alvin Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. 503

COLLINS Anthony, SOMLYO Avril V. & HILGEMANN Donald W. The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. 27

COLLINS Anthony *see* HILGEMANN Donald W. & COLLINS Anthony Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. 59

DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. 591

DE TOMBE Pieter P. & TER KEURS Henk E.D.J. An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. 619

DEVÉS R., CHAVEZ P. & BOYD C.A.R. Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. 491

DUIN Marry *see* DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. 591

EISNER D.A. *see* ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. 467

ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. 467

FITZPATRICK Richard C., TAYLOR Janet L. & MCCLOSKEY D.I. Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. 533

FOZZARD Harry A. *see* ONO Katsushige & FOZZARD Harry A. Phosphorylation restores activity of L-type calcium channels after rundown in inside-out patches from rabbit cardiac cells. 673

FRIEDRICH M. *see* BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. 339

GALLA Hans-Joachim *see* POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. 435

GANDEVIA S.C. *see* MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. 643

GARCÍA Antonio G. *see* UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. 213

GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. 183

GÖGELEIN Heinz *see* POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. 435

GORMAN R.B. *see* MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. 643

HANCK Dorothy A. & SHEETS Michael F. Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. 267

HANCK Dorothy A. *see* SHEETS Michael F. & HANCK Dorothy A. Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. 299

HILGEMANN Donald W. *see* COLLINS Anthony, SOMLYO Avril V. & HILGEMANN Donald W. The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. 27

HILGEMANN Donald W. & COLLINS Anthony Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. 59

HIRCHE H. *see* BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. 339

HOITING Ben *see* DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. 591

HORI Tetsuro *see* MATSUDA Takuji, HORI Tetsuro & NAKASHIMA Toshihiro Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. 197

HOYER Joachim *see* POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. 435

ITO Muneyuki Simultaneous visualization of cortical barrels and horseradish peroxidase-injected layer 5b vibrissa neurones in the rat. 247

JÄNIG W. *see* JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. 107

JOBLING P. & MCLACHLAN Elspeth M. An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. 83

JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. 107

JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. 451

KNIGHT D.E. *see* MACONOCHIE D.J. & KNIGHT D.E. A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. 129

KNIGHT D.E. *see* MACONOCHIE D.J. & KNIGHT D.E. Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. 155

KOYANO K., TANAKA K. & KUBA K. A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. 231

KREGEL Kevin C., SEALS Douglas R. & CALLISTER Robin Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. 359

KUBA K. *see* KOYANO K., TANAKA K. & KUBA K. A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. 231

KUIACK Stephanie & MCCOMAS Alan Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. 609

LAMONT Christine & MILLER David J. Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. 421

LAVIDIS Nickolas A. & BENNETT Max R. Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. 9

LINDBLOM Bertil & WESTHEIMER Gerald Uncertainty effects in orientation discrimination of foveally seen lines in human observers. 1

LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. 321

LÓPEZ Manuela G. *see* UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. 213

MCCLOSKEY D.I. *see* FITZPATRICK Richard C., TAYLOR Janet L. & MCCLOSKEY D.I. Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. 533

MCCOMAS Alan *see* KUIACK Stephanie & MCCOMAS Alan Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. 609

MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. 643

MCKINLEY K. *see* GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. 183

MCLACHLAN Elspeth M. *see* JOBLING P. & MCLACHLAN Elspeth M. An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. 83

MCLACHLAN Elspeth M. *see* JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. 107

MACONOCHIE D.J. & KNIGHT D.E. A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. 129

MACONOCHIE D.J. & KNIGHT D.E. Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. 155

MATSUDA Takuji, HORI Tetsuro & NAKASHIMA Toshihiro Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. 197

MEYER Jörg *see* POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. 435

MILLER David J. *see* LAMONT Christine & MILLER David J. Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. 421

MOLLEMAN Areles *see* DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. 591

NAKASHIMA Toshihiro *see* MATSUDA Takuji, HORI Tetsuro & NAKASHIMA Toshihiro Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. 197

NEHER Erwin *see* UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. 213

NELEMANS Adriaan *see* DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. 591

ONO Katsushige & FOZZARD Harry A. Phosphorylation restores activity of L-type calcium channels after rundown in inside-out patches from rabbit cardiac cells. 673

PIKE Gregory K. *see* SALAMA Guy, ABRAMSON Jonathan J. & PIKE Gregory K. Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. 389

PINTER M.J. *see* ALSTERMARK B., PINTER M.J. & SASAKI S. Tectal and tegmental excitation in dorsal neck motoneurones of the cat. 517

POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. 435

POTT L. *see* LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. 321

SALAMA Guy, ABRAMSON Jonathan J. & PIKE Gregory K. Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. 389

SASAKI S. *see* ALSTERMARK B., PINTER M.J. & SASAKI S. Tectal and tegmental excitation in dorsal neck motoneurones of the cat. 517

SCHINI V.B. *see* JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. 451

SCOTT-BURDEN T. *see* JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. 451

SEALS Douglas R. *see* KREGEL Kevin C., SEALS Douglas R. & CALLISTER Robin Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. 359

SEALS Douglas R. *see* CALLISTER Robin, SUWARNO N. Omar & SEALS Douglas R. Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. 373

SHEETS Michael F. *see* HANCK Dorothy A. & SHEETS Michael F. Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. 267

SHEETS Michael F. & HANCK Dorothy A. Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. 299

SHRIER Alvin *see* BROCHU Richard M., CLAY John R. & SHRIER Alvin Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. 503

SHUBA M.F. *see* SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. 549

SHUBA M.F. *see* SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. 573

SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. 549

SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. 573

SMITH G.L. *see* ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. 467

SOMLYO Avril V. *see* COLLINS Anthony, SOMLYO Avril V. & HILGEMANN Donald W. The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. 27

STEFANI E. *see* GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. 183

SUWARNO N. Omar *see* CALLISTER Robin, SUWARNO N. Omar & SEALS Douglas R. Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. 373

TANAKA K. *see* KOYANO K., TANAKA K. & KUBA K. A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. 231

TAYLOR Janet L. *see* FITZPATRICK Richard C., TAYLOR Janet L. & MCCLOSKEY D.I. Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. 533

TER KEURS Henk E.D.J. *see* DE TOMBE Pieter P. & TER KEURS Henk E.D.J. An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. 619

UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. 213

VAN DEN AKKER Jan *see* DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. 591

VANHOUTTE P.M. *see* JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. 451

WESTHEIMER Gerald *see* LINDBLOM Bertil & WESTHEIMER Gerald Uncertainty effects in orientation discrimination of foveally seen lines in human observers. 1

XU Xiaoping & BEST Philip M. Postnatal changes in T-type calcium current density in rat atrial myocytes. 657

ZHOLOS A.V. *see* SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. 549

ZHOLOS A.V. *see* SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. 573